Documenting Intimate Partner Violence (IPV) Screening & Referrals for NFP instruction

Intimate Partner Violence Screening:

What are we measuring?



MIECHV Measure: Percent of primary caregivers who are screened for IPV using a validated tool within 6 months of enrollment.

Instructions:

Collect data at Intake, within 6 months of enrollment. Complete the Relationship Assessment Tool (also known as Futures without Violence or Women's Experiences with Battering) with the primary caregiver.

Data Requirements:

Enrollment date, exit date (if applicable), IPV screening date, screening tool used, IPV screening tool score (required for MIECHV-funded families to identify who needs a Referral for Services)

Which form should I use to document IPV Screening?

Step 1: Complete the Relationship Assessment Tool

Complete the Relationship Assessment Tool (also known as Futures without Violence or Women's Experiences with Battering) for primary caregivers within 6 months of enrollment. The tool is available <u>here</u>:

Step 2: Document the completed assessment on the Clinical IPV Assessment Form in Flo.

Clinical IPV Assessment	Nurse-Family Partnership Helping Fire-Time Turous Succed +
Client ID Client Name	DOB
Date Nurse Home Nurse Home Visitor ID Visitor Name	
□ 5 th -7 th Pregnancy Visit □12 Weeks Post-Partum	□Child 16 Months □PRN



To document the screening, check "Women's Experiences with Battering (WEB)" under "If Using State-Mandated Alternate IPV Screening Tool:"

If Using State-Mandated Alternate IPV Screening Tool:
Indicate tool (select one):
□ Abuse Assessment Screen (AAS)
□ Abuse Within Intimate Relationships Scale (AIRS)
□ Abuse Behavior Inventory (ABI)
Composite Abuse Scale (CAS)
\Box Conflict Tactics Scales (CTS) – Revised
Domestic Violence Screening for Pediatric Settings
🗆 Harassment in Abusive Relationships: A Self-Report Scale (HARASS)
🗆 Index of Psychological Abuse (IPA)
□ Measure of Wife Abuse
Multidimensional Measure of Emotional Abuse
Partner Abuse Scale (PAS)
Profile of Psychological Abuse (PPA)
Physical Abuse of Partner Scale
□ Safe Dates—Physical Violence Perpetration
□ Safe Dates—Physical Violence Victimization
□ Severity of Violence Against Women Scale/Severity of Violence Against Men Scale (SVAWS/SVAMS)
□ Sexual Experiences Survey (SES)—Perpetration Version
□ Sexual Experiences Survey (SES)—Victimization Version
🗆 The Relationship Chart
□ Universal Violence Prevention Screening Protocol—Adapted
Women Abuse Screening Tool (WAST)
□ Women's Experience with Battering (WEB)
Indicates IPV? Yes 🗆 No 🗆

If the score was 20 or higher, check Yes next to "Indicates IPV." If the score was less than 20, check No.



Intimate Partner Violence Referrals:

What are we measuring?

MIECHV Measure: Percent of primary caregivers enrolled in home visiting with positive screens for IPV (measured using a validated tool) who receive referral information to IPV resources.

Instructions:

If the result of IPV screening in the first 6 months is positive, a referral information to IPV resources should be provided. The screening is considered positive if the score is 20 or above. Please document when a referral information to IPV resources was provided to caregivers using the Referral to Services Form.

Data Requirements:

Enrollment date, exit date (if applicable), date IPV screening was positive, Referral date

Which form should I use to document IPV Referrals?

Step 1: Referrals to Services Form.

Referrals to Services	Nurse-Family Partnership Helping First Time Parents Succed .
Client ID Client Name	DOB
Date Nurse Home Nurse Home Visitor ID Visitor Name	
Crisis Intervention	
✓ 7. Intimate Partner Violence	

Document referrals given to caregivers in response to a positive screening within 6 months of enrollment. The date of referral needs to be on or after the positive screening date to be counted towards this measure.

Step 2: Enter the information on the Form into FLO.

